

Donner Filtration cartridge INT H

Pool & Spa filter. Kompatibilní s modelem Intex typ H 29007E



EAN: 8596220012968

3,12 €

2,60 € bez DPH

Donner INT H filter cartridge is intended as a replacement for the INTEX type H 29007E filter.

The pool and spa filter is tested and certified by the organization IMPMO according to NSF/ANSI 50. The filter uses materials without lead and PBA content. The filtration cartridge has holes on both sides.

The INT-H filter cartridge for pools and spas is made **from a special Trilobal fabric**. The filtration area is increased, improving filtration and retention of impurities without reducing water flow. The innovative Dirt-Locking technology causes the fabric to capture much more dirt than regular fabric. The INT H filter effectively removes hair, leaves, dust, sediments, sand, etc.

The filter is equipped with reinforced end covers that are **resistant to breakage and chemicals** commonly found in pools and hot tubs.

For brilliantly clean water, we recommend **regularly changing** the filter (approximately once a month) and cleaning it (approximately once a week). The INT-H filter can be easily cleaned and rinsed with a stream of water. After cleaning, it is ready for future use again.

Key features of the DONNER INT H CARTRIDGE FILTER

- certified NSF/ANSI 50
- filtration effect up to 95%
- executive filtration performance
- end cover with high resistance to chlorine
- long-lasting business

- easy cleaning
- content of package 2 pieces
- 2-year warranty

Dimensions of the DONNER filter INT H in mm and inches

- outer diameter: 90 mm (3 1/2")
- height: 100 mm (3 15/16")
- upper hole diameter: 38 mm (1 1/2")
- average bottom opening: 38 mm (1 1/2")

The DONNER INT-H filter is compatible with the following filter models: Intex type H 29007E, Marimex H

Replacement filter cartridge for type H - **for cartridge filtration with a flow rate of 1250 l/hour INTEX 28602 / 28601.**

Parameters

Basic parameters

Filtering properties:	cartridge
Filters for:	hot tub, swimming pool, spa
The external diameter of the filter (in cm):	9
Inner diameter of the HORNÍ filter (in cm):	3.8
Inner diameter of the BOTTOM filter (in cm):	3.8
Filter length (in cm):	10
Content of the package (pcs):	2
Warranty:	2
HS code:	42121

Packaging dimensions

Width of the packaging (in cm):	18
Height of the package (in cm):	12
Depth of the packaging (in cm):	10
Weight of filter 1pc (kg):	0.72
Weight including packaging (kg):	0.204



VS


Advanced Trilobal Fabric

Point Bond Fabric

The thickness and trilobal fibers shape packs in more dirt than the competition, which means less filter cleaning for customer.

More Efficiency

Uniformity and high-performance trilobal fibers ensure dependable filtration over time.



NSF/ANSI 50 Certified




NSF/ANSI 50



Certified by IAPMO R&T according to NSF/ANSI 50 standard for material safety.

Durability & Cleanability

With reinforced center core and superior thickness fabric, filter cartridge stands strong under and holds up to the rigors of multiple cleanings.



Výhody filtrů Donner



Trilobal vlákna



Standardní vlákna

Tvar příčného řezu trojstranného zaobleného profilovaného syntetického vlákna zajišťuje, že se zachytí více nečistot oproti běžnému kulatému vláknům zdůvodňuje větší filtrační plochy

