

Zelvo Compact 505

Technický dřez vyroben z Polypropylenu (termoplastický polymer) neboli tvrzeného plastu. Ideální dřez do technických místností, chatek, ale i jako výlevka.



EAN: 5903111172114
69,48 €
57,90 € excluding VAT



EAN: 5903111172091
69,48 €
57,90 € excluding VAT



EAN: 5903111172107
69,48 €
57,90 € excluding VAT

The prestigious Polish company **Zelvo** specializes in the production of technical sinks and castings for a wide range of industrial uses. These are very high-quality sinks at an affordable price.

The technical sink **Compact 505 by Zelvo** is made of Polypropylene (thermoplastic polymer), also known as hardened plastic. This type of sink is suitable mainly for cellar spaces, workshops, garages, gardens, and all technical and cleaning rooms, as well as production halls, as a drain where traditional kitchen sinks are not required.

Compact 505 sink is **mounted to the wall, therefore a countertop is not necessary**. The sink can also be placed in a kitchen unit (top-mounted). It is also possible to drill a hole for a faucet or a dispenser for soap. The package includes mounting screws, a siphon, an overflow, a drain, a plug, and a connection for a dishwasher.

The sink has become a very popular and sought-after type. If you are looking for a **durable, stylish**, plastic sink, with wall mounting, suitable for the garden or any technical purpose, the Compact in three color variants is the right choice for you.

Among the main advantages of the material used for the production of **Polypropylene** are resistance to extremely high temperatures, low temperatures. The surface prevents rusting, cracking. Resistance to impacts or mechanical damage.

Key features of the ZELVO COMPACT 505 technical sink

- we offer the sink in the colors white, gray, and black
- Compact 505 has an extended 5-year warranty.
- made of Polypropylene, also known as hardened plastic
- optimal choice for technical rooms, garages, garden houses, production halls
- The technical sink is resistant to extremely high and low temperatures.
- The surface prevents rusting, cracking.
- Resistance to impact/mechanical damage
- ideal depth of the bathtub 18.5 cm
- Easy-clean technology
- Robustness
- space for drilling a hole for a dispenser and for a sink faucet

Parts of the packaging:

- Sifon
- Assembly brackets
- Release.
- Assembly instructions
- Robbery

Parameters

Basic parameters

| | |
|-------------------------------|---------------------|
| Sink type: | Single sink |
| Sink shape: | Rectangular |
| Orientation: | Without orientation |
| Sink material: | Polypropylene |
| Width of the kitchen cabinet: | 50 cm |
| Sink mounting type: | On the wall. |
| Sink style: | Technical sinks |
| Drain the sink.: | 5 cm |
| Product TARIC code: | 39221000 |

Others

| | |
|------------------------------------|---------|
| Eccentric control of the drain: | No |
| Pre-drilled hole for: | No |
| Possibility to drill another hole: | Yes |
| Warranty: | 5 years |

Dimensions of the main tray (cm)

| | |
|---------------------------------|------|
| Width of the basin: | 28.5 |
| The length of the bathtub: | 36 |
| Depth of the bathtub: | 18.5 |
| Minimum width of the cabinet: | 50 |
| Round sink: | No |
| The average size of the basin.: | No |

Sink dimensions (cm)

| | |
|--------------------|------|
| Width of the sink: | 34.5 |
| Sink length: | 50.5 |
| Sink depth: | 18.5 |
| Sink weight (kg): | 3 |

Dimensions of the sink package (cm)

| | |
|----------------------------------|------|
| Width of the packaging: | 36 |
| Height of the packaging: | 53 |
| Depth of the packaging: | 26.6 |
| Weight including packaging (kg): | 3.3 |

